

STYLISH,
SUSTAINABLE,
SOPHISTICATED



A word from our founder

Since its launch in 2011, GrandOak has become synonymous with understated luxury, sophistication and uncompromising quality in the Australian flooring industry.

Over the years, we have proudly led the market in European oak flooring, earning the trust of homeowners, designers, builders and architects nationwide.

In 2025, we are thrilled to unveil a new era for GrandOak with the introduction of exciting new contemporary hues across the collections. These thoughtfully curated additions reflect the evolving trends of modern interior design, whilst maintaining the beauty and natural characteristics of European Oak.

At Australian Select Timbers, we are committed to crafting flooring that is as enduring as it is beautiful, with a perfect balance of quality, sustainability and innovation. Backed by our extensive warranties, GrandOak flooring will remain a lasting statement of style and distinction for years to come.

We invite you to explore the full GrandOak range and discover how grand impressions truly start from the floor up.

Alex Gong

Director of Australian Select Timbers









GrandOak -A superior choice

Renowned for its quality, style and sophistication, you will be enamoured with the exceptional beauty of our market-leading European Oak flooring.


Elevate your space with a GrandOak floor.

There are five stylish GrandOak collections to choose from:

- Noble Collection
- Monarch Collection
- Regal Collection
- Herringbone Collection
- Chevron Collection



A HISTORY OF GRANDOAK









GrandOak Noble collection is refreshed with 5 new colours.

GrandOak Everest collection is added.

GrandOak is rebranded with new logo.

New era of GrandOak begins...

Advanced surface techniques implemented across the entire GrandOak collection.



1900 x 190 x 14.5mm

UV lacquer

3mm veneer

Tongue & Groove

Full length boards

2.166m² per pack

Multi-ply core

Trowel glue down installation

Floating floor installation

Hydronic heated slab compatible*

Classic timber grade**

Natural beauty and timeless sophistication

Create a flooring design that embodies a sense of sophistication and timeless appeal with the GrandOak Noble Collection.

The perfect choice for using classic timber tones or contemporary hues in your space, the real beauty of engineered European Oak is in the natural variations of colour, grain and knots.

The authentic look and feel of the GrandOak Noble Collection is achieved by carefully brushing the surface of the boards, accentuating their natural oak grain texture. Our handcrafting artists use a specialised process to ensure each board is unique in both appearance and texture.

Setting a high standard for excellence, each board has been manufactured to be exactly 1900mm with no short boards. Along with creating a sense of spaciousness, these full length boards will provide a modern, high-end finish to your room.


Matching stair nosing and scotia will complete your flooring design, creating a seamless designer look to your space.

It's these elements combined, that showcases the superior quality and distinction the Noble Collection is renowned for.

^{*}Please refer to our Heated Slab Instructions for more information on our website. **The Classic grade of timber is the most common standard and widely used in the timber industry. As a natural timber product, knots will be present, as well as the use of black and/or coloured fillers. Colour variation and grain are to be expected and will also vary on the floorworlds. These variations will occur from batch to batch, between samples and the actual stock delivered and installed. These variations are normally present in the GrandOak Collection and are not considered defects. Futhermore, it will not form the basis of any claims under the warranty.

Timber is not colour-fast, and the colour will change over time when exposed to UV light. Please refer to our technical data sheets, care & maintenance, and warranties for more information.

Noble Collection



● = 20% Gloss level ● = Smooth finish ● = Matte finish ● = Wire brushed

We cannot guarantee that the colour you see printed on this brochure accurately portrays the true colour of the floorboard. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting a GrandOak retail partner to view in-store.



2200 x 220 x 20mm

UV lacquer

Matte finish

6mm veneer

Tongue & Groove

Nested boards in pack*

1.936m² per pack

Multi-ply core

Trowel glue down installation

Floating floor installation

Hydronic heated slab compatible**

Classic timber grade***

True European elegance

Bring the luxury of European style to your home with the GrandOak Monarch Collection.

Inspired by the endless elegance and sophistication of European villas, GrandOak Monarch has seven stylish colours to choose from.

From natural hues to French-inspired tones, the colour range has been carefully curated to elevate your interior design to the next level. Sweeping curves of the grain around naturally occurring knots will add a sense of designer appeal to your space.

With distinctive 2200mm long, 220mm wide boards and an impressive 6mm wear layer to rival most solid timber floors, GrandOak Monarch is both extensive and versatile. These high-end boards are also anchored by a multi-ply core for extra stability.


Add a statement of refinement and class to your interior space with GrandOak Monarch.

^{*}Nested boards refer that the packs contain both short and full length boards. Minimum length 600mm. **Please refer to our Heated Slab Instructions for more information on our website.

^{***}The Classic grade of timber is the most common standard and widely used in the timber industry. As a natural timber product, knots will be present, as well as the use of black and/or coloured fillers. Colour variation and grain are to be expected and will also vary on the floorworlds. These variations will occur from batch to batch, between samples and the actual stock delivered and installed. These variations are normally present in the GrandOak Collection and are not considered defects. Futhermore, it will not form the basis of any claims under the warranty.

Timber is not colour-fast, and the colour will change over time when exposed to UV light. Please refer to our technical data sheets, care & maintenance, and warranties for more information.

Monarch Collection



 \bullet = Smooth finish \bullet = Matte finish \bullet = Wire brushed

We cannot guarantee that the colour you see printed on this brochure accurately portrays the true colour of the floorboard. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting an GrandOak retail partner to view in-store.



2200 x 220 x 15mm

UV lacquer

Matte finish

4mm veneer

Tongue & Groove

Nested boards in pack*

2.904m² per pack

Multi-ply core

Trowel glue down installation

Floating floor installation

Hydronic heated slab compatible**

Classic timber grade***

A truly 'Grand' experience

Providing a sense of warmth and sophistication to every room it adorns, the Regal Collection delivers a truly 'Grand' experience.

Embodying the beauty and class of the GrandOak Range, these handcrafted timber engineered boards with striking wood grain variations, effortlessly create high-end designer appeal.

Featuring seven stylish hues from classic and contemporary to rich earthy tones, the GrandOak Regal Collection has a colour choice to suit every interior space.

Extra wide 220mm boards deliver a smooth, flowing finish. Wider boards provide increased coverage, therefore fewer planks are required. This means your flooring installation can be completed faster, compared to traditional narrow floorboards. All our boards have 8-10 coatings of UV lacquer for extra durability.


If you're seeking to achieve a sense of spaciousness in a smaller living area, Regal is the answer.

^{*}Nested boards refer that the packs contain both short and full length boards. Minimum length 600mm. **Please refer to our Heated Slab Instructions for more information on our website.


^{***}The Classic grade of timber is the most common standard and widely used in the timber industry. As a natural timber product, knots will be present, as well as the use of black and/or coloured fillers. Colour variation and grain are to be expected and will also vary on the floorworlds. These variations will occur from batch to batch, between samples and the actual stock delivered and installed. These variations are normally present in the GrandOak Collection and are not considered defects. Futhermore, it will not form the basis of any claims under the warranty.


Timber is not colour-fast, and the colour will change over time when exposed to UV light. Please refer to our technical data sheets, care & maintenance, and warranties for more information.

Regal Collection



We cannot guarantee that the colour you see printed on this brochure accurately portrays the true colour of the floorboard. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting an GrandOak retail partner to view in-store.





GrandOak engineered boards - constructed for life

With increased demand in today's market for wider and longer boards, the need for stability in the construction of engineered floorboards is continuously evolving.

Stability is a key element in the design process of engineered flooring. This is to ensure production of a floor that is less likely to cup, twist or bow when affected by environmental extremes in temperature and humidity.

GrandOak uses the proven superior method of a multi-ply cross core. This unique assembling method creates a product more stable than that of a 3-ply construction. Multi-ply construction is made up of multiple thin hardwood sheets that are arranged, glued and pressed with the grain running at right angles to the adjacent sheet. A premium quality multi-ply core is paramount to ensuring the longevity of your engineered timber floor.





Tongue and Groove joining system - the ideal installation choice

Renowned over many years for its superior performance and minimal concerns during the installation process, it's no surprise the Tongue & Groove joining system is the preferred choice of most builders and floor installers.

With the option of using either the 'Glue Down Method' or the 'Floating Floor Method', a Tongue & Groove joining system is the ideal installation choice.

Glue Down - Installation Method:

• Compared to other joining systems, T&G is more straightforward and efficient for glue down installations, delivering a perfectly solid feel with no movement (subject to levelling first where required). Adhesive is applied by a professional directly beneath the boards, ensuring a stable and long-lasting finish.

Floating Floor - Installation Method:

 Where the floating floor method is preferred, the T&G joining system requires a cross-linking PVA adhesive to be applied between the boards. This secure bond minimises any potential creaking or squeaking and ensures the joining system remains tight over time. The result is a secure, resilient floor that delivers lasting elegance and performance.

It's always best to confirm which method of installation suits your subfloor with a professional installer, however the T&G joining system makes it a versatile option in any home.



 $750 \times 150 \times 14.5$ mm board size

UV lacquer

Matte finish

3mm veneer

Left & Right tongues

Full length boards

1.35m² per pack

Multi-ply core

Trowel glue down installation

Provincial style

Hydronic heated slab compatible*

Classic timber grade**

Where classic meets contemporary

Known for its timeless elegance, classic French style parquetry is perfect for adding a touch of sophistication to any space. The GrandOak Herringbone Collection is the perfect contemporary statement for your foyer, hallway or open living area.

This impressive collection of handcrafted parquetry flooring is comprised of the most coveted colours in our Noble Collection, ranging from light neutral hues to beautiful rich heritage tones.


Our pre-finished 750mm \times 150mm \times 14.5mm T&G boards come with a left and right tongue, and are coated with a UV lacquer matte finish.

Installation by full trowel glue down is required. For more information, please refer to our GrandOak Herringbone Installation Instructions on our website.

^{*}Please refer to our Heated Slab Instructions for more information on our website. **The Classic grade of timber is the most common standard and widely used in the timber industry. As a natural timber product, knots will be present, as well as the use of black and/or coloured fillers. Colour variation and grain are to be expected and will also vary on the floorworlds. These variations will occur from batch to batch, between samples and the actual stock delivered and installed. These variations are normally present in the GrandOak Collection and are not considered defects. Futhermore, it will not form the basis of any claims under the warranty.

Timber is not colour-fast, and the colour will change over time when exposed to UV light. Please refer to our technical data sheets, care & maintenance, and warranties for more information.

Herringbone Collection



[●] Smooth finish ● Matte finish ● Wire brushed

We cannot guarantee that the colour you see printed on this brochure accurately portrays the true colour of the floorboard. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting an GrandOak retail partner to view in-store.



 $900 \times 150 \times 14.5$ mm board size

UV lacquer

Wire brushed

Matte finish

3mm veneer

Left & Right tongues

Full length boards

1.35m² per pack

Multi-ply core

Trowel glue down installation

Provincial style

Hydronic heated slab compatible*

Classic timber grade**

Surpassing every expectation

Inspired by century-old styling, the unique pattern of the GrandOak Chevron Collection will provide a stylish, modern aesthetic designed to exceed every expectation.

Dating back to the Renaissance period, Chevron parquetry is known for its 'V' shape pattern, also known as Hungarian point. It consists of wood planks cut at a 45-degree angle and positioned in a distinctive pattern that must be aligned impeccably for a perfectly straight axis. Parquetry requires specialised skills for installation. With its repeated geometrical pattern, this style has been featured in many European palaces and chateaux.

With five stunning colours to choose from, the GrandOak Chevron Collection will add a contemporary provincial style to your interior space.

Beautifully finished with a matte UV lacquer, the pre-finished 900mm x 150mm x 14.5mm T&G boards are styled with both left and right tongues.


Installation by full trowel glue down is required. For more information, please refer to the GrandOak Chevron Installation Instructions on our website.

Create a sense of grandeur with the GrandOak Chevron Collection.

^{*}Please refer to our Heated Slab Instructions for more information on our website. **The Classic grade of timber is the most common standard and widely used in the timber industry. As a natural timber product, knots will be present, as well as the use of black and/or coloured fillers. Colour variation and grain are to be expected and will also vary on the floorworlds. These variations will occur from batch to batch, between samples and the actual stock delivered and installed. These variations are normally present in the GrandOak Collection and are not considered defects. Futhermore, it will not form the basis of any claims under the warranty.

Timber is not colour-fast, and the colour will change over time when exposed to UV light. Please refer to our technical data sheets, care & maintenance, and warranties for more information

Chevron Collection



We cannot guarantee that the colour you see printed on this brochure accurately portrays the true colour of the floorboard. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting an GrandOak retail partner to view in-store.

GrandOak accessories. A complete designer finish.

Our impressive range of GrandOak accessories will provide a high-end, designer finish to any space. From installation and maintenance to colour-matched scotia and stair nosing, we cover all your needs to ensure your GrandOak flooring look is complete.

For more information, please refer to our website www.asttimbers.com.au






Custom Stair Treads

 $\mbox{\rm GrandOak}$ custom stair treads are perfect for creating a stunning designer look in your home.

Fully customised to suit your specific requirements, we will also colour match the stair treads to your oak floors, producing a seamless high-end finish.





Timber Stair Nosing

Our colour matched timber stair nosing will complete your floor design with a seamless and refined finish.

Specifications

Profile: Square edgeColours: Matching all ranges



Includes matching Herringbone and Chevron ranges.



Timber Scotia

Complete your floor design with a professional finish with our colour matched timber scotia.

Specifications

Size: 1900 x 18 x 18mm Colours: Matching all ranges



Includes matching Herringbone and Chevron ranges.



Adjustable Aluminium Height Trims

Our premium quality aluminium adjustable trims are perfect for continuing your flooring design.

Specifications

Available profiles:

C-Channel + H-Channel

C-Channel:

3400mm x 22mm x 12-15mm

H-Channel:

3400mm x 38mm x 12-15mm

Colours: Black, Champagne, Silver and Woodgrain





Select Underlay

for Floated Floor Systems

Perfect for both concrete and timber subfloors, our 5 star AAAC acoustic rated Select Underlay will achieve a professional finish and long lasting result when installing an Australian Select Timbers floor as a floating floor system. Available in both 2mm (ComfortPro) or 3mm (AcousticPro) EVA foam thickness, this underlay will produce a superior higher density fabrication when compared to a generic closed-cell foam option.

With up to 200mm extra-wide overlapped water-resistant 100um PE film and ensuring thermal and acoustic standards are exceeded for residential and commercial applications, our Select Underlay offers you peace of mind your floor is protected for years to come.

Refer to our installation instructions for more information.

Specifications

ComfortPro - 2mm Acoustic Underlay

Roll area: $20m^2 / 50m^2$ Roll width: $1100 \pm 1\%$ Roll overlap:100mmThickness:2mmWater-resistance film:80um PE

Density: 110kg/m³ approx.

Acoustic rate: 5 Star (AAAC rating)

AcousticPro - 3mm Acoustic Underlay

Roll area: 20m^2 Roll width: $1100 \pm 1\%$ Roll overlap: 200mmThickness: 3mmWater-resistance film: 100um PE

Density: 110kg/m³ approx.

Acoustic rate: 5 Star (AAAC rating)



Select Guard

Floor Protection

Select Guard floor protection has been designed to minimise the mess and damage to floor surfaces that may occur during construction projects or residential and commercial renovations.

Manufactured from a quality, non-abrasive 3mm foam with a poly-woven top on the outside, it will provide a non-slip, safe working space and ensure exceptional performance in the protection of your floors.

With its spill-resistant technology and breathable fabric, it also prevents moisture build-up by covering any surface with an extra protective layer.

Specifications

Roll size: 50m²

Roll diameter: 520mm approx. Roll width: 1200mm $\pm 0.5\%$

Thickness: 3mm

Surface: Poly-woven (anti-slip)
Density: 33kg/m³ approx.
Weight: 9kg approx.
Structure material: Foam

Features

- Non-abrasive 3mm foam with a poly-woven top.
- Spill and moisture resistant technology.
- Flexible and durable for easy use.
- Comes in 50m² rolls with 1.2m width for fast and easy installation.
- Robust against high traffic.
- Ideal for protection during renovations such as painting, plastering etc.
- Perfect for protection during new constructions.





Caring for your GrandOak Floor

To enjoy the stunning beauty of your GrandOak floor for years to come, below are some simple maintenance guidelines to follow:

- Gently dust, soft vacuum and mop to keep your beautiful floorboards clean.
- Maintain your floors with our SelectCare+
 Floor Cleaning range using our everyday
 Hard Floor Cleaner and our Hard Floor Rejuvenator
 and Rejuvenator Plus as required (refer to
 instructions on use).
- Our SelectCare+ non-abrasive cleaning range and equipment are specifically designed for use on prefinished GrandOak floors. Avoid the use of abrasive cloths, sponges, cleaners, creams and steam mops as they will void your warranties.
- To protect your Lifetime Structural Warranty & Wear Warranty, we recommend the use of soft furniture pads and felt backed castors to prevent potential scratches and scuffs from furniture legs and edges.
- For further information, please speak to your retailer or visit our website: **grandoakflooring.com.au**





Hard Floor Cleaner

Daily use

SelectCare+ Hard Floor Cleaner is an everyday water-based cleaning product designed to cut through grease and grime. Ideal for regular floor cleaning, it is recommended for use with our SelectCare+ Dust Cleaning Pad and Spray Mop.

Suitable for use on engineered floors, timber floors (excluding oil finished and cork), laminate, vinyl, hybrid floors, stone and tiles.

No dilution is required with this product.

Specifications

Density: +/-1.02
pH value: Neutral
Viscosity: Thin liquid

Surface use: All types of hard floors

(excluding oil finished and

cork floors).

Available in: 1L and 2.5L



Hard Floor Rejuvenator

Periodic + Intensive use

SelectCare+ Rejuvenator is a water-based product used to remove layers of polish on varnished and UV lacquered floors that may have become worn or tired over time. It can also be used as a degreaser to remove stubborn stains and marks from timber floors (excluding bamboo, oil finished, cork, laminate, hybrid and vinyl floors).

Used in conjunction with SelectCare+ RejuvenatorPlus, this two-step process will restore the floor's protective coating.

Recommended for periodic maintenance, annually or every 6 months, depending on traffic.

No dilution is required with this product.

Specifications

Viscosity: 25-30 sec DIN 3

pH value: 10-11
Fragrance: Fresh scent

Surface use: All types of timber

surfaces (excluding bamboo, oil finished, cork, laminate, hybrid and vinyl floors).

Available in: 1L and 2.5L



Hard Floor Rejuvenator*Plus*

Lacquer Protection

SelectCare+ RejuvenatorPlus is a universal maintenance product that provides a protective layer for all matte finish timber floors (excluding bamboo, oil finished, cork, laminate, hybrid and vinyl floors).

It is designed to provide a protective coating after deep cleaning your floors with our SelectCare+ Rejuvenator. This two-step process will maintain the original look of the floor without the expense of sanding or buffing.

Recommended for periodic maintenance, annually or every 6 months, depending on traffic.
Only to be used after using SelectCare+ Rejuvenator.

No dilution is required with this product.

Specifications

Density: 1.05 pH value: 8


Gloss level: Matte finish

Surface use: Matte finish timber floors

(excluding bamboo, oil finished, cork, laminate, hybrid and vinyl floors).

Available in: 1L and 2.5L





Peace of mind

With proven test certificates for fire, dry-slip, wet-slip and emission testing, GrandOak offers a durable and sustainable solution for any residential or commercial project.

Our Lifetime Structural Warranty, 20 Year Domestic Wear Warranty and 10 Year Commercial Wear Warranty provide peace of mind you will enjoy your floor for years to come.







