

HICKORY IMPRESSIONS

CLASSIQUE

Hickory Flooring Hardened by nature.

CLASSIQUE

Australian Select Timbers is proud to offer a unique hardwood flooring range: Hickory Impressions Classique

Taking design, strength and craftsmanship to extraordinary new heights, Hickory Classique flooring offers long-lasting durability. With a harmonious blend of natural elegance and hardness, it will stand up to tough daily wear and look beautiful for years to come. These features set it apart from many other engineered timber choices, making Hickory the must have flooring for any home.
















The Origin of Hickory

Hickory is a stable hardwood that has been relied on throughout history for its versatility with its origins dating back to Native America.

Sought after for many applications due to its strength, and durability,
Hickory Hardwood has evolved from old fashioned tool handles and wooden wheels,
into sporting materials like baseball bats, manufactured into furniture and of course
into Hickory Hardwood flooring due to its hardness and unique
character in the grain.



Hickory Impressions Classique widens your flooring colour choices





SUNLINE

Light, modern colours for a bright and natural appearance



WINX




BERNBOROUGH



BLACK CAVIAR



TODMAN



BUCK

Dark, rich colours for a classic look with a touch of sophistication

Why choose Hickory Impressions Classique?

The natural hardness of this stunning flooring makes it extremely durable and resistant to the daily wear and tear of a busy office or lively family home. This flooring range is the perfect choice for those wanting beautiful flooring that will last.

- ✓ High stability
- ✓ Hardness Janka rating: 8-11
- ✓ 12 stylish colours
- Strength and durability
- Environmentally sustainable
- ✔ Hydronic Heated Slab Compatible[^]

1900mm x 190mm x 12mm

2mm veneer

UV lacquer

Wire brushed

Matte finish

Nested boards in packs*

Pack Size 2.166sqm







[^]Please refer to our Installation Instructions and Heated Slab Instructions for more information on our website.

^{*}Nested boards refers that the packs contain both short and full length boards. Minimum length 600mm.





Janka Hardness Rating

Timber Species	Janka Rating	Rank
Brazilian Walnut Ipe	16	1
Red Iron Bark, Grey Iron Bark	12-15	2
Jarrah, Blackbutt, Sydney Blue Gum, Hickory, Spotted Gum	8-11	3
Tasmanian Oak, Australian Beech, European Oak	5.5-7.5	4
Pine	2.9	5





At Australian Select Timbers we take pride in our commitment to sustainability.

Hickory Impressions uses up to 90% less Hickory in the top veneer when compared to a traditional solid Hickory floor. We are proud to contribute positive change to the flooring industry by reducing our impact on the environment by selecting only certified and forestry managed plantation timbers.

For more information visit asttimbers.com.au

Hickory Impressions Flooring



VS

Traditional Solid Hickory Flooring





SelectUnderlay - 2mm and 3mm

Available in 2mm or 3mm, our EVA Acoustic Underlay offers a higher density fabrication compared to standard closed cell foam, exceeding thermal and acoustic standards for residential and commercial applications.



Square Edge Stair Nosings

Hickory Impressions stair nosing allows you to continue your floor scheme where there are stairs. Colours are available for the entire range.

- Architecturally designed
- Manufactured from pre-finished engineered timber
- 1890mm x 90mm x 12mm



Solid Timber Scotia

Finish the edge of your Hickory Impressions floor with our premium designed solid scotia. Colours are available for the entire range.

- Manufactured from solid timber
- 1900mm x 18mm x 18mm



SelectTrims - Adjustable

We offer high quality aluminium adjustable trims to finish off your floor space.

- Available profiles: C-Channel + H-Channel
- C-Channel: 3400mm x 22mm x 12-15mm
- H-Channel: 3400mm x 38mm x 12-15mm
- Available in Black, Champagne, Silver and Woodgrain finishes.













Keep it clean with AST's SelectCare+ Your complete floor care cleaning solution.

Australian Select Timbers®

hickoryfloors.com.au | asttimbers.com.au

Terms & Conditions: Please note this brochure was written by Australian Select Timbers Pty Ltd. All the information is specified correctly while writing and during publication of the brochure. The company reserves the right to change the specifications of this product at any time without prior notice to third parties.

Colour Disclaimer: We cannot guarantee that the colours you see printed on this brochure or displayed on our website accurately portray the true colours of the floorboards. Electrical devices monitors and/or screens are not calibrated equally and colour reproduction on the internet is not precise. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting an Australian Select Timbers retail partner to view in store.